

# Safety data sheet

Page: 1/9

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013 Product: **Styrofan® D 623 ap** 

Version: 3.0

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

## 1. Substance/preparation and company identification

## Styrofan® D 623 ap

Manufacturer/supplier:

BASF India Ltd

1st Floor, VIBGYOR Towers, Plot No. C – 62, 'G' Block,

Bandra Kurla Complex, Mumbai – 400051, INDIA Telephone: +91 22 6661-8000

Telephone: +91 22 6661-8000 Telefax number: +91 22 6758-2753

**Emergency information:** 

International emergency number: Telephone: +49 180 2273-112

## 2. Composition/information on ingredients

## **Chemical nature**

Aqueous dispersion of a polymer based on: styrene, butadiene, acrylonitrile

## Hazardous ingredients

a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1)

Content (W/W): <= 50 PPM CAS Number: 55965-84-9 INDEX-Number: 613-167-00-5

Hazard symbol(s): T, N

R-phrase(s): 23/24/25, 34, 43, 50/53

The wording of the hazard symbols and R-phrases is specified in section 16 if dangerous ingredients are mentioned.

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

#### 3. Hazard identification

No particular hazards known.

The product contains a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1) (CAS-No.:55965-84-9). May produce an allergic reaction.

If the product adheres to skin, irritation may occur when it dries.

#### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention.

Note to physician:

Symptoms: No significant symptoms are expected due to the non-classification of the product.

Hazards: No hazards anticipated.

Treatment: Symptomatic treatment (decontamination, vital functions).

## 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Specific hazards:

No particular hazards known.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be

considered.

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

#### 6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions:

Do not release untreated into natural waters.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose

binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product. For residues: Rinse away with water.

## 7. Handling and Storage

#### Handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

## **Storage**

Further information on storage conditions: Store protected against freezing. Avoid direct sunlight.

Protect from temperatures below: 5 °C

The packed product is destroyed at low temperatures or by frost.

Protect from temperatures above: 60 °C

The packed product must be protected against exceeding the indicated temperature.

#### 8. Exposure controls and personal protection

Components with occupational exposure limits

The release and quantity of the stated substance is dependent on the processing conditions.

formaldehyde, 50-00-0;

CLV 0.3 ppm (ACGIHTLV) TWA value 1.5 mg/m3; 1.0 ppm (OEL (IN)) STEL value 3 mg/m3; 2 ppm (OEL (IN))

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

#### Personal protective equipment

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

## 9. Physical and Chemical Properties

Form: liquid, dispersion

Colour: white Odour: faint odour

pH value: 7.8 - 10.0 (DIN ISO 976)

Information on: water

Melting point: 0 °C

Information on: water

Boiling point: 100 °C

-----

Flash point:

not applicable

Flammability: not flammable

Lower explosion limit:

not applicable

Upper explosion limit:

not applicable

Self ignition: not self-igniting

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Information on: water

Vapour pressure: 23.4 hPa

(20 °C)

Literature data.

Density: approx. 1.04 g/cm3

(20 °C)

(ISO 2811-1)

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

Relative density:

No data available.

Relative vapour density (air):

No data available.

Solubility in water: partly soluble

(15 °C)

Miscibility with water:

miscible

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Viscosity, dynamic: 40 - 215 mPa.s (DIN EN ISO 2555 (RVT))

(23 °C)

35 - 150 mPa.s (DIN EN ISO 3219)

(23 °C)

Solids content: 50 - 52 % (DIN EN ISO 3251)

Other Information:

Range of particle size: < 0,1 μm - 10 μm

## 10. Stability and Reactivity

Conditions to avoid:

Avoid extreme temperatures.

Thermal decomposition: No decomposition if used correctly.

Substances to avoid:

No substances known that should be avoided.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

#### **Acute toxicity**

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (oral): > 2,000 - 10,000 mg/kg

#### Irritation

Assessment of irritating effects:

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Primary skin irritation rabbit: non-irritant (OECD Guideline 404)

Primary irritations of the mucous membrane rabbit: non-irritant (OECD Guideline 405)

#### Assessment other acute effects

Assessment other acute effects:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

#### **Sensitization**

Assessment of sensitization:

May cause sensitization by skin contact.

#### Repeated dose toxicity

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## **Genetic toxicity**

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

#### **Developmental toxicity**

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

#### Other relevant toxicity information

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

The product contains a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1) (CAS-No.:55965-84-9). May produce an allergic reaction.

## 12. Ecological Information

### **Ecotoxicity**

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201) Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 100 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### **Mobility**

Assessment transport between environmental compartments: No data available.

#### Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

#### **Bioaccumulation potential**

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

#### Other adverse effects

Adsorbable organically-bound halogen (AOX): No data available.

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

#### **Additional information**

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

## 13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

## 14. Transport Information

**Domestic transport:** 

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

Classification not required

#### **Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF India Ltd Safety data sheet Date / Revised: 01.08.2013

Product: Styrofan® D 623 ap

(30206048/SDS\_GEN\_IN/EN)

Date of print 03.08.2013

#### 16. Other Information

Recommended use: Raw material, for industrial use only

Any other intended applications should be discussed with the manufacturer.

Full text of hazard symbols and R-phrases if mentioned as hazardous components in section 2:

T Toxic.

N Dangerous for the environment.

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

34 Causes burns.

43 May cause sensitization by skin contact.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.